

Golden Drops LLC

www.goldendropscbd.com

Sample: 2307DBL0020.1369



METRC Sample:

Strain: N/A

Ordered: 07/11/2023; Sampled: 07/12/2023; Completed: 07/12/2023; Analyzed: 04/28/2023

CBD Oil: 1000mg Broad Spec

Ingestible, Tincture




Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

Cannabinoid	Mass mg/unit	Mass mg/g	LOQ mg/unit
CBC	30.988	1.033	1.753
CBCa	<LOQ	<LOQ	1.753
CBD	969.722	32.324	1.753
CBDa	<LOQ	<LOQ	1.753
CBDV	6.747	0.225	1.753
CBDVa	<LOQ	<LOQ	1.753
CBG	10.606	0.354	1.753
CBGa	<LOQ	<LOQ	1.753
CBL	<LOQ	<LOQ	1.753
CBN	26.215	0.874	1.753
$\Delta 8$ -THC	<LOQ	<LOQ	1.753
$\Delta 9$ -THC	<LOQ	<LOQ	1.753
THCa	<LOQ	<LOQ	1.753
THCV	<LOQ	<LOQ	1.753
THCVa	<LOQ	<LOQ	1.753
Total THC	ND	ND	
Total CBD	969.722	32.324	
Total	1044.278	34.809	




 Glen Marquez
 Laboratory Director


 Sherri Defreese
 Quality Control


 4439 Polaris Ave
 Las Vegas, NV
 (702) 728-5180
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.