

Golden Drops LLC

www.goldendropscbd.com

Sample: 2307DBL0018.1366



METRC Sample:

Strain: N/A

Ordered: 07/11/2023; Sampled: 07/12/2023; Completed: 07/12/2023

## CBD Oil: 1000mg Full Spec

Ingestible, Tincture



### Cannabinoid Profile

Analyzed by 300.18 UHPLC/PDA

Cannabinoid	Mass mg/unit	Mass mg/g	LOQ mg/unit
CBC	16.730	0.558	1.460
CBCa	<LOQ	<LOQ	1.460
CBD	1049.122	34.971	1.460
CBDa	<LOQ	<LOQ	1.460
CBDV	6.144	0.205	1.460
CBDVa	<LOQ	<LOQ	1.460
CBG	7.780	0.259	1.460
CBGa	<LOQ	<LOQ	1.460
CBL	<LOQ	<LOQ	1.460
CBN	8.016	0.267	1.460
$\Delta 8$ -THC	<LOQ	<LOQ	1.460
$\Delta 9$ -THC	37.683	1.256	1.460
THCa	<LOQ	<LOQ	1.460
THCV	<LOQ	<LOQ	1.460
THCVa	<LOQ	<LOQ	1.460
<b>Total THC</b>	<b>37.683</b>	<b>1.256</b>	
<b>Total CBD</b>	<b>1,049.122</b>	<b>34.971</b>	
<b>Total</b>	<b>1125.476</b>	<b>37.516</b>	



  
 Glen Marquez  
 Laboratory Director

  
 Sherri Defreese  
 Quality Control



4439 Polaris Ave  
 Las Vegas, NV  
 (702) 728-5180  
 www.dblabslv.com

DB Labs will not discuss any part of this study with personnel other than those authorized by the client, this report is considered highly confidential and the sole property of the client. This Certificate shall not be reproduced except in full, without the written approval of DB Labs. The results described in this report only apply to the samples analyzed. Edibles are picked up prior to final packaging unless otherwise stated. The reported result is based on a sample weight with the applicable moisture content for that sample. LOQ=Limit of Quantitation, Pesticide LOQ=Instrument Limit of Quantitation, NA=Not Applicable, ND=Not Detected, NR=Not Reported, NT=Not Tested, TNC=Too Numerous to Count (microbial), PGR=Plant Growth Regulator. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, DB Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Action levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The "Decision Rule" for the pass/fail does not include the UM. The UM associated with the result reported in this certificate is available upon request. This product has been tested by DB Labs, LLC (MME# 61887736101164525768) using a quality system and valid testing methodologies as required by Nevada Regulations. The limits are based on NV regulations.